

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BARRIER FLUID 17

Article-No. : 340010

#### Manufacturer or supplier's details

Company name of supplier : Klüber Lubrication NA LP  
9010 County Road 2120  
Tyler, Texas 75707  
USA  
Phone: +1 903 534 8021  
Fax: +1 903 581 4376

32 Industrial Drive  
Londonderry, NH 03053  
USA  
Phone: +1 603 647 4104  
Fax: +1 603 647 4106

E-mail address of person responsible for the SDS : mcm@us.kluber.com

National contact :

Emergency telephone number : 0800 745 1200  
+49 89 7876 700 (24 hrs)

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricating oil

Restrictions on use : Restricted to professional users.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification in accordance with ABNT NBR 14725 Standard

Aspiration hazard : Category 1

#### GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms :



# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

Signal word : Danger

Hazard statements : H304 May be fatal if swallowed and enters airways.

Precautionary statements : **Prevention:**  
P201 + P202 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing.

**Response:**  
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P331 Do NOT induce vomiting.

**Storage:**  
P405 Store locked up.

### Other hazards which do not result in classification

None known.

### Additional Labelling

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
If symptoms persist, call a physician.  
In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.  
Do not flush into surface water or sanitary sewer system.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/ container to an approved waste disposal plant.  
Refer to manufacturer/ supplier for information on recovery/ recycling.  
FOLLOW THE VEHICLE AND/OR EQUIPMENT MANUFACTURER'S RECOMMENDATIONS.

The Safety Data Sheet for this (hazardous) chemical product can be obtained by email:  
[medioambiente@br.klueber.com](mailto:medioambiente@br.klueber.com)

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Synthetic hydrocarbon oil

### Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

Dec-1-ene, homopolymer, hydrogenated	68037-01-4	$\geq 90$ - $\leq 100$
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	$\geq 0,25$ - $< 1$
3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol	10191-41-0	$\geq 0,1$ - $< 1$

### SECTION 4. FIRST AID MEASURES

- If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Obtain medical attention.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.  
Aspiration hazard if swallowed - can enter lungs and cause damage.
- Most important symptoms and effects, both acute and delayed : Risk of product entering the lungs on vomiting after ingestion.  
Health injuries may be delayed.  
May cause an allergic skin reaction.  
Allergic appearance  
Aspiration may cause pulmonary oedema and pneumonitis.
- Notes to physician : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.  
Treat symptomatically.

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Persons with a history of skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.  
Smoking, eating and drinking should be prohibited in the

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: yellow
Odour	: characteristic
Odour Threshold	: No data available
pH	: Not applicable substance/mixture is non-soluble (in water)
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: $\geq 200$ °C Method: open cup
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Self-ignition	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: $< 0,001$ hPa (20 °C)
Relative vapour density	: No data available

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

Relative density : 0,818 (20 °C)  
Reference substance: Water  
The value is calculated

Density : 0,82 g/cm<sup>3</sup> (20 °C)

Bulk density : No data available

Solubility(ies)  
Water solubility : insoluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity  
Viscosity, dynamic : No data available

Viscosity, kinematic : 16,9 mm<sup>2</sup>/s ( 40 °C)

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

##### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol:**



# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

Acute oral toxicity : LD50 (Rat): > 4.000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 3.000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

#### Product:

Remarks : This information is not available.

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

### Serious eye damage/eye irritation

#### Product:

Remarks : This information is not available.

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

#### **3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405  
GLP : yes

### **Respiratory or skin sensitisation**

#### Product:

Remarks : This information is not available.

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Test Type : Maximisation Test  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitisation.  
GLP : yes

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Species : Guinea pig  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 406  
Result : Did not cause sensitisation on laboratory animals.

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

### 3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol:

Species : Mouse  
Assessment : The product is a skin sensitiser, sub-category 1B.  
Method : OECD Test Guideline 429  
Result : The product is a skin sensitiser, sub-category 1B.  
GLP : yes

### Germ cell mutagenicity

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Genotoxicity in vitro : Test Type: Ames test  
Method: Mutagenicity (Escherichia coli - reverse mutation assay)  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Animal testing did not show any mutagenic effects.

### Carcinogenicity

#### Product:

Remarks : No data available

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

---

Effects on foetal development : Remarks: No data available

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
Did not show teratogenic effects in animal experiments.

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Reproductive toxicity - Assessment : - Fertility -  
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### **STOT - single exposure**

#### Product:

Remarks : No data available

### **STOT - repeated exposure**

#### Product:

Remarks : No data available

### **Repeated dose toxicity**

#### Product:

Remarks : This information is not available.

### **Aspiration toxicity**

#### Product:

May be fatal if swallowed and enters airways.

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

May be fatal if swallowed and enters airways.

### Further information

#### Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other :  
aquatic invertebrates Remarks: No data available

Toxicity to algae/aquatic :  
plants Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 1.000 mg/l  
aquatic invertebrates Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202  
GLP: yes

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

Toxicity to algae/aquatic plants : ErC50 (Scenedesmus capricornutum (fresh water algae)): > 1.000 mg/l  
Exposure time: 72 h  
Test Type: Growth inhibition  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 125 mg/l  
Exposure time: 21 d

### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

### **3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 25,8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 28 d  
Test Type: semi-static test  
Method: OECD Test Guideline 215  
GLP: yes

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Biodegradability : Primary biodegradation  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B  
GLP: yes

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

##### **3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 20 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: Product does not contain substances which are persistent, bioaccumulative, and toxic (PBT) at levels of 0.1% or higher.  
Product does not contain substances which are very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Partition coefficient: n- : log Pow: > 6,5 (20 °C)  
octanol/water

##### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Partition coefficient: n- : log Pow: 7,11  
octanol/water

##### **3,4-dihydro-2,5,7,8-tetramethyl-2-(4,8,12-trimethyltridecyl)-2H-benzopyran-6-ol:**

Partition coefficient: n- : log Pow: 12,2 (25 °C)  
octanol/water

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among : Remarks: No data available  
environmental compartments

### Other adverse effects

#### Product:

Additional ecological : No information on ecology is available.  
information

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Results of PBT and vPvB : Non-classified PBT substance Non-classified vPvB substance  
assessment



# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.
- Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### ANTT

Not regulated as a dangerous good

#### Special precautions for user

Not applicable

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Technical Standard ABNT NBR 14725 in conformity with GHS

Decree No. 96.044 of May 18, 1988 and ANTT Resolution No. 5.998 of June 1st 2023, which approves supplementary instructions to the Regulation for the Transport of Hazardous Products by Road.

Law No. 12.305, of August 2, 2010, establishing the National Policy on Solid Waste

Federal Decree No. 2.657 of July 3, 1998 (Promulgates Convention 170 of the International Labor Organization, 1990)

# SAFETY DATA SHEET

According to ABNT NBR 14725-4  
- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

Ordinance No. 229 of May 24, 2011 (Amending Regulatory Standard No. 26 of the Ministry of Labor and Employment)  
Resolution No. 362, June 23, 2005, establishes provisions for the gathering, collection and final destination of used or contaminated lubrication oil .

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

### International Regulations

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

## SECTION 16. OTHER INFORMATION

### Further information

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines

# SAFETY DATA SHEET

According to ABNT NBR 14725-4

- BR



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: -	Print Date:
1.0	18.03.2024	Date of first issue: 18.03.2024	18.03.2024

Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.