

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

### SECTION 1. IDENTIFICATION

Product name : BARRIER FLUID 17

Article-No. : 340010

Other means of identification : No data available

#### Manufacturer or supplier's details

Company name of supplier : Klüber Lubrication NA LP  
9010 County Road 2120  
Tyler, Texas 75707  
USA  
Phone: +1 903 534 8021  
Fax: +1 903 581 4376  
info@us.kluber.com

Klüber Lubrication NA LP  
32 Industrial Drive  
Londonderry, NH 03053  
USA  
Phone: +1 603 647 4104  
Fax: +1 603 647 4106  
info@us.kluber.com

E-mail address of person responsible for the SDS : klna-productstewardship@klueber.com

Emergency telephone number : +1 517 545 7070 NCEC

#### Recommended use of the chemical and restrictions on use

Recommended use : Lubricating oil

Restrictions on use : Restricted to professional users.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Reproductive toxicity : Category 2

Aspiration hazard : Category 1

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA




## BARRIER FLUID 17

Version 4.0      Revision Date: 2026-04-27      Date of last issue: 2025-02-07      Print Date: 2026-04-27  
Date of first issue: 2021-12-07

### II

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : May be fatal if swallowed and enters airways.  
Suspected of damaging fertility.

Precautionary statements : **Prevention:**  
Obtain special instructions before use.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
Do NOT induce vomiting.  
**Storage:**  
Store locked up.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Synthetic hydrocarbon oil

#### Components

Chemical name	Common Name/Synonym	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Dec-1-ene, homopolymer, hydrogenated	Dec-1-ene, homopolymer, hydrogenated	68037-01-4*	>= 80 - <= 100	TSC
Benzenamine, N-phenyl-, reaction	Benzenamine, N-phenyl-, reaction	68411-46-1*	>= 0.1 - <= 1	TSC

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

products with 2,4,4-trimethylpentene	products with 2,4,4-trimethylpentene			
--------------------------------------	--------------------------------------	--	--	--

\* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

- If inhaled : Obtain medical attention.  
Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.  
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Obtain medical attention.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.  
Aspiration hazard if swallowed - can enter lungs and cause damage.
- Most important symptoms and effects, both acute and delayed : Aspiration may cause pulmonary oedema and pneumonitis.  
Risk of product entering the lungs on vomiting after ingestion.  
Health injuries may be delayed.  
May be fatal if swallowed and enters airways.  
Suspected of damaging fertility.
- Notes to physician : Treat symptomatically.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides
- Further information : Standard procedure for chemical fires.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

- Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

### Hand protection

Material : Nitrile rubber  
Break through time : > 10 min  
Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

- the specific work-place.
- Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
- Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Physical state : liquid
- Colour : colourless
- Odour : characteristic
- Odour Threshold : No data available
- Melting point/ range : No data available
- Boiling point/boiling range : No data available
- Flammability : Flammability (solid, gas):  
Not applicable
- Upper explosion limit / Upper flammability limit : No data available
- Lower explosion limit / Lower flammability limit : No data available
- Flash point :  $\geq 200$  °C  
Method: open cup
- Auto-ignition temperature : No data available
- Self-ignition : No data available
- Decomposition temperature : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026- 04-27
----------------	------------------------------	---	----------------------------

pH : Not applicable  
substance/mixture is non-soluble (in water)

Viscosity  
Viscosity, dynamic : No data available  
Viscosity, kinematic : 16.9 mm<sup>2</sup>/s ( 40 °C)

Solubility(ies)  
Water solubility : insoluble  
Solubility in other solvents : No data available

Partition coefficient: n-  
octanol/water : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Density : 0.82 g/cm<sup>3</sup> (20 °C)

Relative density : 0.818 (20 °C)  
Reference substance: Water  
The value is calculated

Relative vapour density : No data available

Bulk density : No data available

Particle characteristics  
Other information  
Evaporation rate : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous  
reactions : No dangerous reaction known under conditions of normal use.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Based on available data, the classification criteria are not met.

### Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

||

### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

#### Components:

##### Dec-1-ene, homopolymer, hydrogenated:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation
GLP	: yes

##### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	: Rabbit
Assessment	: No skin irritation
Method	: OECD Test Guideline 404
Result	: No skin irritation

### Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

#### Components:

##### Dec-1-ene, homopolymer, hydrogenated:

Species	: Rabbit
Result	: No eye irritation
Assessment	: No eye irritation
Method	: OECD Test Guideline 405
GLP	: yes

##### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	: Rabbit
Result	: No eye irritation
Assessment	: No eye irritation
Method	: OECD Test Guideline 405

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

### Respiratory or skin sensitisation

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Product:

Remarks : This information is not available.

#### Components:

##### Dec-1-ene, homopolymer, hydrogenated:

Test Type	: Maximisation Test
Species	: Guinea pig
Assessment	: Does not cause skin sensitisation.
Method	: OECD Test Guideline 406
Result	: Does not cause skin sensitisation.
GLP	: yes

##### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	: Guinea pig
Assessment	: Did not cause sensitisation on laboratory animals.
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

#### Components:

##### Dec-1-ene, homopolymer, hydrogenated:

Genotoxicity in vitro	: Test Type: Ames test Method: Mutagenicity (Escherichia coli - reverse mutation assay) Result: negative GLP: yes
Germ cell mutagenicity - Assessment	: Animal testing did not show any mutagenic effects.

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **Product:**

Remarks : No data available

### **Components:**

#### **Dec-1-ene, homopolymer, hydrogenated:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Reproductive toxicity**

Suspected of damaging fertility.

#### **Product:**

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### **Components:**

#### **Dec-1-ene, homopolymer, hydrogenated:**

Reproductive toxicity - Assessment : - Fertility -  
No toxicity to reproduction  
- Teratogenicity -  
Did not show teratogenic effects in animal experiments.

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Reproductive toxicity - Assessment : - Fertility -  
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### **STOT - single exposure**

Based on available data, the classification criteria are not met.

#### **Product:**

Remarks : No data available

### **STOT - repeated exposure**

Based on available data, the classification criteria are not met.

#### **Product:**

Remarks : No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

### Repeated dose toxicity

**Product:**

Remarks : This information is not available.

### Aspiration toxicity

May be fatal if swallowed and enters airways.

**Product:**

This information is not available.

### Components:

**Dec-1-ene, homopolymer, hydrogenated:**

|| May be fatal if swallowed and enters airways.

### Further information

**Product:**

Remarks : Information given is based on data on the components and the toxicology of similar products.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Product:**

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

### Components:

**Dec-1-ene, homopolymer, hydrogenated:**

|| Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1,000 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

	Test Type: static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 1,000 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	: ErC50 (Scenedesmus capricornutum (fresh water algae)): > 1,000 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 125 mg/l Exposure time: 21 d

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Test Type: static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 51 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

Physico-chemical  
removability : Remarks: No data available

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Biodegradability : Primary biodegradation  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Method: OECD Test Guideline 301B

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not rapidly biodegradable  
Biodegradation: 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
GLP: yes

### **Bioaccumulative potential**

#### Product:

Bioaccumulation : Remarks: No data available

### Components:

#### **Dec-1-ene, homopolymer, hydrogenated:**

Partition coefficient: n-  
octanol/water : log Pow: > 6.5 (20 °C)

#### **Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:**

Partition coefficient: n-  
octanol/water : log Pow: 5.2 - 10.82

### **Mobility in soil**

#### Product:

Mobility : Remarks: No data available

Distribution among  
environmental compartments : Remarks: No data available

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026-04-27
----------------	------------------------------	---	------------------------

### Other adverse effects

#### Product:

Additional ecological information : No information on ecology is available.

#### Components:

##### **Dec-1-ene, homopolymer, hydrogenated:**

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.  
Dispose of waste product or used containers according to local regulations.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

Not regulated as a dangerous good

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

#### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### National Regulations

#### **TDG**

Not regulated as a dangerous good

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version	Revision Date:	Date of last issue: 2025-02-07	Print Date: 2026-
4.0	2026-04-27	Date of first issue: 2021-12-07	04-27

### Special precautions for user

Not applicable

## SECTION 15. REGULATORY INFORMATION

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

# SAFETY DATA SHEET

according to the Hazardous Products Regulations  
- CA



## BARRIER FLUID 17

Version 4.0	Revision Date: 2026-04-27	Date of last issue: 2025-02-07 Date of first issue: 2021-12-07	Print Date: 2026- 04-27
----------------	------------------------------	---	----------------------------

Revision Date : 2026-04-27  
Date format : yyyy/mm/dd

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.