

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

SECTION 1. IDENTIFICATION

Product identifier : NGP-220

Article-No. : 340083

Manufacturer or supplier's details

Company : Klüber Lubrication NA LP
9010 County Road 2120
Tyler, Texas 75707
USA
Phone: +1 903 534 8021
Fax: +1 903 581 4376
info@us.kluber.com

Klüber Lubrication NA LP
32 Industrial Drive
Londonderry, NH 03053
USA
Phone: +1 603 647 4104
Fax: +1 603 647 4106
info@us.kluber.com

E-mail address of person responsible for the SDS : klua-productstewardship@klueber.com

National contact :

Emergency telephone number : 0800 745 1200
+49 89 7876 700 (24 hrs)

Recommended use of the chemical and restrictions on use

Recommended use : Lubricating oil

Restrictions on use : Restricted to professional users.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification of the substance or mixture in accordance with ABNT NBR 14725 Standard

Short-term (acute) aquatic hazard : Category 3

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

GHS label elements in accordance with ABNT NBR 14725 Standard

Signal word : None

Hazard statements : H402 Harmful to aquatic life.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.

Other hazards which do not result in classification

None known.

Additional Labelling

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
If symptoms persist, call a physician.
In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
Do not flush into surface water or sanitary sewer system.
Store in a well-ventilated place. Keep cool.
Dispose of contents/ container to an approved waste disposal plant.
Refer to manufacturer/ supplier for information on recovery/ recycling.
FOLLOW THE VEHICLE AND/OR EQUIPMENT MANUFACTURER'S RECOMMENDATIONS.

The Safety Data Sheet for this chemical product (classified as hazardous or non-hazardous) can be obtained via email at: meioambiente@klueber.com

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mineral oil.

Components

Chemical name	CAS-No.	Classification (GHS Classification of the substance or mixture in accordance with ABNT NBR 14725 Standard)	specific concentration limit M-Factor	Concentration (% w/w)
Distillates (petroleum),	64742-54-7	Not classified		>= 90 - <= 100

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1 Revision Date: 24.04.2026 Date of last issue: 07.04.2026 Print Date: 24.04.2026
Date of first issue: 04.09.2024

hydrotreated heavy paraffinic				
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1	Repr. 2; H361f Aquatic Acute 3; H402 Aquatic Chronic 3; H412		$\geq 0,25 - < 1$
N-alkylated benzotriazole	94270-86-7	Acute Tox. (Oral) 5; H303 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411	M-Factor: 1/	$\geq 0,1 - < 0,25$
diphenyl tolyl phosphate	26444-49-5	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	M-Factor: 1/1	$\geq 0,1 - < 0,25$

SECTION 4. FIRST AID MEASURES

- If inhaled : Obtain medical attention.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Move the victim to fresh air.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Do NOT induce vomiting.
Obtain medical attention.
Rinse mouth with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : No symptoms known or expected.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Do not breathe vapours or spray mist. Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours or spray mist.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
Do not re-use empty containers.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH (2013-03-01)

Engineering measures : Handle only in a place equipped with local exhaust (or other

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

appropriate exhaust).

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type A-P

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses with side-shields

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Colour : colourless

Odour : characteristic

Odour Threshold : No data available

Melting point/ range : No data available

Boiling point/boiling range : No data available

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Flammability : Flammability (solid, gas):
Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : > 220 °C
Method: open cup

Auto-ignition temperature : No data available

Self-ignition : No data available

Decomposition temperature : No data available

pH : Not applicable
substance/mixture is non-soluble (in water)

Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : 220 mm²/s (40 °C)

Solubility(ies)
Water solubility : insoluble
Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : < 0,001 hPa (20 °C)

Density : 0,86 g/cm³ (20 °C)

Relative density : 0,864 (20 °C)
Reference substance: Water
The value is calculated

Relative vapour density : No data available

Bulk density : No data available

Particle characteristics
Other information
Evaporation rate : No data available

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Remarks: This information is not available.

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Symptoms: Redness, Local irritation

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version	Revision Date:	Date of last issue: 07.04.2026	Print Date:
2.1	24.04.2026	Date of first issue: 04.09.2024	24.04.2026

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

N-alkylated benzotriazole:

Acute oral toxicity : LD50 (Rat): 3.313 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

diphenyl tolyl phosphate:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version	Revision Date:	Date of last issue: 07.04.2026	Print Date:
2.1	24.04.2026	Date of first issue: 04.09.2024	24.04.2026

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
GLP	:	yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

N-alkylated benzotriazole:

Species	:	Rabbit
Assessment	:	Irritating to skin.
Method	:	Draize Test
Result	:	Irritating to skin.

diphenyl tolyl phosphate:

Species	:	Rabbit
Assessment	:	No skin irritation
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405
GLP	:	yes

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version	Revision Date:	Date of last issue: 07.04.2026	Print Date:
2.1	24.04.2026	Date of first issue: 04.09.2024	24.04.2026

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405

N-alkylated benzotriazole:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	Draize Test

diphenyl tolyl phosphate:

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Species	:	Guinea pig
Assessment	:	Does not cause skin sensitisation.
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitisation.
GLP	:	yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species	:	Guinea pig
Assessment	:	Did not cause sensitisation on laboratory animals.
Method	:	OECD Test Guideline 406

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Result : Did not cause sensitisation on laboratory animals.

N-alkylated benzotriazole:

Test Type : Maximisation Test
Species : Guinea pig
Assessment : The product is a skin sensitiser, sub-category 1B.
Method : OECD Test Guideline 406
Result : The product is a skin sensitiser, sub-category 1B.

diphenyl tolyl phosphate:

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

N-alkylated benzotriazole:

Genotoxicity in vitro : Test Type: Ames test
Method: OECD Test Guideline 471
Result: negative

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

N-alkylated benzotriazole:

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Reproductive toxicity - Assessment : - Fertility -
No toxicity to reproduction

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity - Assessment : - Fertility -
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

N-alkylated benzotriazole:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 45 mg/kg body weight
General Toxicity F1: NOAEL: 45 mg/kg body weight
Fertility: NOAEL: 150 mg/kg body weight
Method: OECD Test Guideline 422

Effects on foetal development : Species: Rat
Application Route: Oral
Duration of Single Treatment: 28 h
General Toxicity Maternal: NOAEL: 45 mg/kg body weight

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Developmental Toxicity: NOAEL: 45 mg/kg body weight
Method: OECD Test Guideline 422

Reproductive toxicity - Assessment : - Fertility -
No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
- Teratogenicity -
No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

N-alkylated benzotriazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

N-alkylated benzotriazole:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version	Revision Date:	Date of last issue: 07.04.2026	Print Date:
2.1	24.04.2026	Date of first issue: 04.09.2024	24.04.2026

Components:

N-alkylated benzotriazole:

Species : Rat
NOAEL : 45 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 422

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

This information is not available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

No aspiration toxicity classification

N-alkylated benzotriazole:

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

Components:

diphenyl tolyl phosphate:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: Harmful to aquatic organisms.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

N-alkylated benzotriazole:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 1,3 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,05 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0,762 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC20 (activated sludge): 15 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

diphenyl tolyl phosphate:

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 1,3 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 0,55 mg/l
Exposure time: 72 h
Test Type: Growth inhibition

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0,12 mg/l
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 3 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

N-alkylated benzotriazole:

Biodegradability : Primary biodegradation
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: < 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

diphenyl tolyl phosphate:

Biodegradability : Result: rapidly biodegradable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Partition coefficient: n-
octanol/water : log Pow: 10,16 - 24,9

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n-
octanol/water : log Pow: 5,2 - 10,82

N-alkylated benzotriazole:

Bioaccumulation : Bioconcentration factor (BCF): 1.676

Partition coefficient: n-
octanol/water : log Pow: 7,6

diphenyl tolyl phosphate:

Bioaccumulation : Bioconcentration factor (BCF): 220

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Partition coefficient: n-octanol/water : log Pow: 4,5

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Components:

diphenyl tolyl phosphate:

Distribution among environmental compartments : Adsorption/Soil Medium: Water Koc: 5560

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

Components:

Distillates (petroleum), hydrotreated heavy paraffinic:

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

diphenyl tolyl phosphate:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT). Not very persistent and very bioaccumulative (vPvB).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

the unused product.
Dispose of waste product or used containers according to local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ANTT

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

ABNT NBR 14725:2023 Technical Standard is in compliance with GHS Decree No. 96.044 of May 18, 1988 and ANTT Resolution No. 5.998 of June 1st 2023, which approves supplementary instructions to the Regulation for the Transport of Hazardous Products by Road.

Law No. 12.305, of August 2, 2010, establishing the National Policy on Solid Waste

Federal Decree No. 10,088 of November 5, 2019 (Promulgates the Convention and Recommendation of the International Labor Organization)

Ordinance No. 2,770 of September 5, 2022, approving the new wording of Regulatory Norm No. 26 - Signaling and Safety Identification).

Resolution No. 362, June 23, 2005, establishes provisions for the gathering, collection and final destination of used or contaminated lubrication oil .

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Not applicable

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version 2.1	Revision Date: 24.04.2026	Date of last issue: 07.04.2026 Date of first issue: 04.09.2024	Print Date: 24.04.2026
----------------	------------------------------	---	---------------------------

Montreal Protocol : Not applicable

Rotterdam Convention (Prior Informed Consent) : Not applicable

Stockholm Convention (Persistent Organic Pollutants) : Not applicable

SECTION 16. OTHER INFORMATION

Revision Date : 24.04.2026

Further information

Date format : dd.mm.yyyy

Full text of H-Statements

H303 : May be harmful if swallowed.
H315 : Causes skin irritation.
H317 : May cause an allergic skin reaction.
H361f : Suspected of damaging fertility.
H400 : Very toxic to aquatic life.
H402 : Harmful to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.
H412 : Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Repr. : Reproductive toxicity
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation
ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing

SAFETY DATA SHEET

According to ABNT NBR 14725:2023- BR



NGP-220

Version	Revision Date:	Date of last issue: 07.04.2026	Print Date:
2.1	24.04.2026	Date of first issue: 04.09.2024	24.04.2026

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.