

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025- 05-16 |
|----------------|------------------------------|---|----------------------------|

SECTION 1. IDENTIFICATION

Product name : SumTech SG 220

Article-No. : 320386

Other means of identification : No data available

Manufacturer or supplier's details

Company name of supplier : Klüber Lubrication NA LP
9010 County Road 2120
Tyler, Texas 75707
USA
Phone: +1 903 534 8021
Fax: +1 903 581 4376
info@us.kluber.com

Klüber Lubrication NA LP
32 Industrial Drive
Londonderry, NH 03053
USA
Phone: +1 603 647 4104
Fax: +1 603 647 4106
info@us.kluber.com

E-mail address of person responsible for the SDS : mcm@us.kluber.com

Emergency telephone number : +1 517 545 7070 NCEC

Recommended use of the chemical and restrictions on use

Recommended use : Grease

Restrictions on use : Restricted to professional users.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2A

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

Version 2.1 Revision Date: 2025-05-14 Date of last issue: 2022-08-02 Print Date: 2025-05-16
Date of first issue: 2021-11-16

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :

Signal word : Warning

Hazard statements : Causes serious eye irritation.
Suspected of damaging fertility.

Precautionary statements : **Prevention:**
Obtain special instructions before use.
Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
IF exposed or concerned: Get medical advice/ attention.
If eye irritation persists: Get medical advice/ attention.
Storage:
Store locked up.
Disposal:
Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Synthetic hydrocarbon oil
special lithium soap

Components

| Chemical name | Common Name/Synonym | CAS-No. | Concentration (% w/w) |
|--|---------------------------------------|------------|------------------------------------|
| Distillates (petroleum), hydrotreated light paraffinic | Distillates (petroleum), hydrotreated | 64742-55-8 | Trade secret** ($\geq 1 - < 5$ %) |

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

Version 2.1 Revision Date: 2025-05-14 Date of last issue: 2022-08-02 Print Date: 2025-05-16
Date of first issue: 2021-11-16

| | | | |
|---|---|------------|------------------------------------|
| | light paraffinic; Baseoil — unspecified | | |
| dilithium azelate | dilithium azelate | 38900-29-7 | Trade secret** ($\geq 1 - < 5$ *) |
| Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene | 68411-46-1 | Trade secret** ($\geq 1 - < 5$ *) |
| Hydrocarbon waxes (petroleum), oxidized, Me esters | Hydrocarbon waxes (petroleum), oxidized, Me esters | 68602-85-7 | Trade secret** ($\geq 1 - < 5$ *) |
| zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) | zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) | 4259-15-8 | Trade secret** ($\geq 1 - < 5$ *) |

* Actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- If inhaled : Obtain medical attention.
Remove person to fresh air. If signs/symptoms continue, get medical attention.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.
Get medical attention immediately if irritation develops and persists.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
Wash off immediately with plenty of water.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.
Seek medical advice.
- If swallowed : Move the victim to fresh air.

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

If unconscious, place in recovery position and seek medical advice.

Keep respiratory tract clear.

Do not induce vomiting without medical advice.

Obtain medical attention.

Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : No symptoms known or expected.
Causes serious eye irritation.
Suspected of damaging fertility.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media : High volume water jet

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)
Sulphur oxides
Oxides of phosphorus
Metal oxides

Further information : Standard procedure for chemical fires.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
Exposure to decomposition products may be a hazard to health.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.
Ensure adequate ventilation.
Do not breathe vapours, aerosols.
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Try to prevent the material from entering drains or water

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

courses.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Pick up and transfer to properly labelled containers.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
Wash hands and face before breaks and immediately after handling the product.
Do not get in eyes or mouth or on skin.
Do not get on skin or clothing.
Do not ingest.
Do not repack.
These safety instructions also apply to empty packaging which may still contain product residues.
Keep container closed when not in use.

Conditions for safe storage : Store in original container.
Keep container closed when not in use.
Keep in a dry, cool and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Store in accordance with the particular national regulations.
Keep in properly labelled containers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|----------------------------|-----------|-------------------------------|--|------------------------|
| lithium 12-hydroxystearate | 7620-77-1 | TWA | 10 mg/m3 | CA AB OEL (2009-04-30) |
| | | TWAEV | 10 mg/m3 | CA QC OEL (2020-03-11) |
| | | TWA (Inhalable) | 10 mg/m3 | CA BC OEL (2021-01-04) |

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

Version 2.1 Revision Date: 2025-05-14 Date of last issue: 2022-08-02 Print Date: 2025-05-16
Date of first issue: 2021-11-16

| | | | | |
|--|------------|-------------------------------------|----------|------------------------|
| | | TWA (Respirable) | 3 mg/m3 | CA BC OEL (2021-01-04) |
| | | TWA (Inhalable particulate matter) | 10 mg/m3 | ACGIH (2018-03-20) |
| | | TWA (Respirable particulate matter) | 3 mg/m3 | ACGIH (2018-03-20) |
| Distillates (petroleum), hydrotreated light paraffinic | 64742-55-8 | TWA (Mist) | 5 mg/m3 | CA AB OEL (2009-04-30) |
| | | STEL (Mist) | 10 mg/m3 | CA AB OEL (2009-04-30) |
| | | TWAEV (Mist - Inhalable dust) | 5 mg/m3 | CA QC OEL (2022-04-13) |
| | | TWA (Mist) | 1 mg/m3 | CA BC OEL (2021-01-04) |
| | | TWA (Inhalable particulate matter) | 5 mg/m3 | ACGIH (2013-03-01) |

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

Personal protective equipment

Respiratory protection : Not required; except in case of aerosol formation.

Filter type : Filter type P

Hand protection

Material : Nitrile rubber

Break through time : > 10 min

Protective index : Class 1

Remarks : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

Eye protection : Safety glasses

Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Protective measures : The type of protective equipment must be selected according

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Wash face, hands and any exposed skin thoroughly after handling.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : paste

Colour : beige

Odour : characteristic

Odour Threshold : No data available

Melting point/ range : No data available

Boiling point/boiling range : No data available

Flammability : Flammability (solid, gas):
Combustible Solids

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Auto-ignition temperature : No data available

Self-ignition : No data available

Decomposition temperature : No data available

pH : Not applicable
substance/mixture is non-soluble (in water)

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025- 05-16 |
|----------------|------------------------------|---|----------------------------|

Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : Not applicable

Solubility(ies)
Water solubility : insoluble
Solubility in other solvents : No data available

Partition coefficient: n-
octanol/water : No data available

Vapour pressure : < 0.001 hPa (20 °C)

Density : 0.88 g/cm³ (20 °C)

Relative density : 0.88 (20 °C)
Reference substance: Water
The value is calculated

Relative vapour density : No data available

Bulk density : No data available

Particle characteristics
Particle size : Not applicable
Particle Size Distribution : Not applicable

Other information
Evaporation rate : No data available

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous : No dangerous reaction known under conditions of normal use.

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

reactions

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : No materials to be especially mentioned.

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Remarks: This information is not available.

Acute dermal toxicity : Remarks: This information is not available.

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.53 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

dilithium azelate:

Acute oral toxicity : LD50 (Rat): > 300 mg/kg
Method: OECD Test Guideline 420
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

toxicity

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Hydrocarbon waxes (petroleum), oxidized, Me esters:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Acute oral toxicity : LD50 (Rat, male): 3,100 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 (Rabbit, male): > 5,000 mg/kg
Method: OECD Test Guideline 402
GLP: no

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Species : Rabbit
Assessment : No skin irritation
Result : No skin irritation
GLP : yes

dilithium azelate:

Assessment : No skin irritation
Result : No skin irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation

Hydrocarbon waxes (petroleum), oxidized, Me esters:

Species : human skin
Assessment : No skin irritation
Result : No skin irritation

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Species : Rabbit
Assessment : No skin irritation
Method : OECD Test Guideline 404
Result : No skin irritation
GLP : yes

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Species : Rabbit
Result : No eye irritation
Exposure time : 48 h
Assessment : No eye irritation
Method : OECD Test Guideline 405
GLP : yes

dilithium azelate:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Rabbit
Result : No eye irritation
Assessment : No eye irritation
Method : OECD Test Guideline 405

Hydrocarbon waxes (petroleum), oxidized, Me esters:

Species : Human

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

Result : Irritating to eyes.
Assessment : Irritating to eyes.

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Species : Rabbit
Result : Risk of serious damage to eyes.
Assessment : Risk of serious damage to eyes.
Method : OECD Test Guideline 405
GLP : yes

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Product:

Remarks : This information is not available.

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Test Type : Buehler Test
Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.
GLP : no

dilithium azelate:

Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

Hydrocarbon waxes (petroleum), oxidized, Me esters:

Test Type : Buehler Test
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : Does not cause skin sensitisation.

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Test Type : Maximisation Test
Species : Guinea pig
Assessment : Did not cause sensitisation on laboratory animals.
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.
GLP : yes

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Product:

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Carcinogenicity - Assessment : No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Suspected of damaging fertility.

Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Reproductive toxicity - Assessment : - Fertility -
No toxicity to reproduction
- Teratogenicity -
No effects on or via lactation

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Reproductive toxicity - Assessment : - Fertility -
Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

dilithium azelate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Remarks : No data available

Components:

dilithium azelate:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Remarks : This information is not available.

Aspiration toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

Product:

This information is not available.

Components:

Distillates (petroleum), hydrotreated light paraffinic:

May be fatal if swallowed and enters airways.

dilithium azelate:

No aspiration toxicity classification

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

No aspiration toxicity classification

Further information

Product:

Remarks : Information given is based on data on the components and the toxicology of similar products.

Components:

Hydrocarbon waxes (petroleum), oxidized, Me esters:

Remarks : Information given is based on data on the components and the toxicology of similar products.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025- 05-16 |
|----------------|------------------------------|---|----------------------------|

Components:

dilithium azelate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates Exposure time: 48 h

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 51 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
plants Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 75 mg/l
aquatic invertebrates Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): 240 mg/l
plants Exposure time: 72 h

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
GLP: yes
Remarks: Information given is based on data obtained from similar substances.

Toxicity to microorganisms : EC50 (Pseudomonas putida): 380 mg/l
Exposure time: 16 h
Test Type: static test
GLP: yes

Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Physico-chemical removability : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Biodegradability : Result: not rapidly degradable
Biodegradation: 31 %
Exposure time: 28 d

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Biodegradability : aerobic
Inoculum: activated sludge
Result: Not rapidly biodegradable
Biodegradation: 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
GLP: yes

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

Biodegradability : Result: Not rapidly biodegradable
Biodegradation: < 5 %
Exposure time: 27 d
Method: OECD Test Guideline 301D
GLP: no

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Partition coefficient: n-octanol/water : Pow: > 6
Remarks: Information given is based on data obtained from similar substances.

dilithium azelate:

Bioaccumulation : Bioconcentration factor (BCF): 3.0

Partition coefficient: n-octanol/water : log Pow: -3.56

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene:

Partition coefficient: n-octanol/water : log Pow: 5.2 - 10.82

Hydrocarbon waxes (petroleum), oxidized, Me esters:

Bioaccumulation : Remarks: Substance is not persistent, bioaccumulative, and toxic (PBT).
Substance is not very persistent and very bioaccumulative (vPvB).

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Partition coefficient: n-octanol/water : log Pow: 3.59 (22 °C)
pH: 5
Method: OECD Test Guideline 107
GLP: yes

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025-05-16 |
|----------------|------------------------------|---|------------------------|

Mobility in soil

Product:

Mobility : Remarks: No data available

Distribution among environmental compartments : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : No information on ecology is available.

Components:

Distillates (petroleum), hydrotreated light paraffinic:

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate):

Results of PBT and vPvB assessment : Non-classified PBT substance Non-classified vPvB substance

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of with domestic refuse.
Dispose of as hazardous waste in compliance with local and national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as the unused product.
Dispose of waste product or used containers according to local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|----------------|------------------------------|---|----------------------------|
| Version 2.1 | Revision Date: 2025-05-14 | Date of last issue: 2022-08-02 Date of first issue: 2021-11-16 | Print Date: 2025- 05-16 |
|----------------|------------------------------|---|----------------------------|

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

TDG

Not regulated as a dangerous good

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

| | | |
|--------------------|---|---|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| CA AB OEL | : | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL) |
| CA BC OEL | : | Canada. British Columbia OEL |
| CA QC OEL | : | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| CA AB OEL / TWA | : | 8-hour Occupational exposure limit |
| CA AB OEL / STEL | : | 15-minute occupational exposure limit |
| CA BC OEL / TWA | : | 8-hour time weighted average |
| CA QC OEL / TWA EV | : | Time-weighted average exposure value |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|---------|----------------|---------------------------------|-------------------|
| Version | Revision Date: | Date of last issue: 2022-08-02 | Print Date: 2025- |
| 2.1 | 2025-05-14 | Date of first issue: 2021-11-16 | 05-16 |

System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 2025-05-14
Date format : yyyy/mm/dd

|| Relevant changes compared to the last edition are highlighted at the left margin. This version replaces all previous editions.

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily

SAFETY DATA SHEET

according to the Hazardous Products Regulations
- CA



SumTech SG 220

| | | | |
|---------|----------------|---------------------------------|-------------------|
| Version | Revision Date: | Date of last issue: 2022-08-02 | Print Date: 2025- |
| 2.1 | 2025-05-14 | Date of first issue: 2021-11-16 | 05-16 |

mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.